# abcam

## Product datasheet

## Anti-pan Cytokeratin antibody [AE1+AE3], prediluted ab961



### ★★★★ 3 Abreviews 40 References

#### 概述

产品名称 Anti-pan Cytokeratin抗体[AE1+AE3], prediluted

**小**鼠重组multiclonal [AE1+AE3] to pan Cytokeratin, prediluted

**宿主** Mouse

特异性 This antibody mixture recognizes acidic and basic subfamilies of cytokeratins. The cocktail of

these two antibodies can be used to detect most human epithelia. The acidic cytokeratins have molecular weights of 56.5, 55, 51, 50, 50, 48 46, 45, and 40 kDa. The basic cytokeratins have

molecular weights of 65-67, 64, 59, 58, 56 and 52 kDa.

经测试应用 适用于: IHC-P, ICC/IF

种属反应性 与反应: Mouse, Rat, Rabbit, Chicken, Cow, Cat, Dog, Human, Fish, Zebrafish

免疫原 Tissue, cells or virus corresponding to pan Cytokeratin. Human epidermal cytokeratins

阳性对照 Skin or adenocarcinoma.

常规说明 This product was changed from ascites to tissue culture supernatant on 8th March 2018. Please

note that the dilutions may need to be adjusted accordingly. If you have any questions, please do

not hesitate to contact our scientific support team.

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

Please note that this antibody is an oligoclonal antibody. It is a cocktail of monoclonal antibodies that have been carefully selected. Oligoclonal antibodies have not only the specificity and batch-to-batch consistency of a monoclonal antibody, but also have the advantage of the sensitivity of a

polyclonal antibody due to their ability to recognize multiple epitopes on an antigen.

性能

形式 Liquid

1

**存放**说明 Shipped at 4°C. Store at +4°C. Do Not Freeze.

存储溶液 Proprietary Preservative

纯**度** Tissue culture supernatant

克隆 Recombinant Multiclonal

**克隆编号** AE1+AE3

**同种型** IgG1

#### 应用

#### The Abpromise guarantee Abpromise™承诺保证使用ab961于以下的经测试应用

"应用说明"部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
IHC-P	<b>★★★★</b> (3)	Use at an assay dependent concentration.
ICC/IF		Use at an assay dependent concentration. PubMed: 19852942

#### 靶标

#### 相关性

Cytokeratins, a group comprising at least 29 different proteins, are characteristic of epithelial and trichocytic cells. Cytokeratins 1, 4, 5, 6, and 8 are members of the type II neutral to basic subfamily. Monoclonal anti cytokeratins are specific markers of epithelial cell differentiation and have been widely used as tools in tumor identification and classification. Monoclonal Anti Pan Cytokeratin is a broadly reactive reagent, which recognizes epitopes present in most human epithelial tissues. It facilitates typing of normal, metaplastic and neoplastic cells. Synergy between the various components results in staining amplification. This enables identification of cells, which would otherwise be stained only marginally. The mixture may aid in the discrimination of carcinomas and nonepithelial tumors such as sarcomas, lymphomas and neural tumors. It is also useful in detecting micrometastases in lymph nodes, bone marrow and other tissues and for determining the origin of poorly differentiated tumors. There are two types of cytokeratins the acidic type I cytokeratins and the basic or neutral type II cytokeratins. Cytokeratins are usually found in pairs comprising a type I cytokeratin and a type II cytokeratin. Usually the type II cytokeratins are 8kD larger than their type I counterparts.

细胞定位 Cytoplasmic

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish

- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.cn/abpromise">https://www.abcam.cn/abpromise</a> or contact our technical team.

#### Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors