

PE Anti-DDDDK tag (Binds to FLAG® tag sequence) antibody [M2] ab72469

★★★★★ [1 Abreviews](#) [8 References](#) [2 图像](#)

概述

产品名称	PE Anti-DDDDK tag (Binds to FLAG® tag sequence)抗体[M2]
描述	PE小鼠单克隆抗体[M2] to DDDDK tag (Binds to FLAG® tag sequence)
宿主	Mouse
偶联物	PE. Ex: 488nm, Em: 575nm
经测试应用	适用于: Flow Cyt, Sandwich ELISA
种属反应性	与反应: Species independent
免疫原	Synthetic peptide corresponding to DDDDK tag (Binds to FLAG® tag sequence).
常规说明	Excitation max. lambda: 565>498 nm Emission max. lambda: 578 nm F/P 1:1 FLAG® is a registered trade mark of Sigma Aldrich Biotechnology LP. It is used here for informational purposes only. The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing. If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C.
存储溶液	Preservative: 0.013% Sodium azide Constituents: 0.1% BSA, 0.87% Sodium chloride, 1.64% Sodium phosphate, 1.71% Sucrose
纯度	Size exclusion
纯化说明	Size exclusion chromatography as well as proprietary methods for purifying the final materials were used.
克隆	单克隆

克隆编号

M2

同种型

IgG1

应用

The Abpromise guarantee **Abpromise™**承诺保证使用ab72469于以下的经测试应用

“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。


应用	Ab评论	说明
Flow Cyt		Use at an assay dependent concentration. ab91357 - Mouse monoclonal IgG1, is suitable for use as an isotype control with this antibody.
Sandwich ELISA		Use at an assay dependent concentration.

靶标


相关性

This is a useful tool for the localisation and characterisation of DDDDK tagged proteins (Binds to FLAG® tag sequence).

图片



Flow cytometry analysis of a recombinant (N-terminus DDDDK-tag) transmembrane cell surface receptor in CHO cells using ab72469 (blue). Black - Mouse IgG1 Phycoerythrin isotype control.



Curve generated from a streptavidin-coated 96-well plate probed with dilutions of biotinylated DYKDDDDK tagged peptide and read after a 2 hour incubation at room temperature with ab72469.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors