


Anti-STAT5 (phospho Y694) antibody [E208] ab32364

重组 RabMAb

★★★★★ **11 Abreviews** **59 References** **6 图像**

概述

产品名称	Anti-STAT5 (phospho Y694)抗体[E208]
描述	兔单克隆抗体[E208] to STAT5 (phospho Y694)
宿主	Rabbit
特异性	This reagent is not recommended for mouse IHC-P
经测试应用	适用于: WB, IHC-P, ELISA 不适用于: ICC/IF or IP
种属反应性	与反应: Human 预测可用于: Mouse 
免疫原	Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.
阳性对照	WB: A431 cell lysate treated with epidermal growth factor. IHC-P: Human breast carcinoma tissue.
常规说明	<p>This product is a recombinant monoclonal antibody, which offers several advantages including:</p> <ul style="list-style-type: none"> - High batch-to-batch consistency and reproducibility - Improved sensitivity and specificity - Long-term security of supply - Animal-free production <p>For more information see here.</p> <p>Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb[®] patents.</p> <p>Rat: We have preliminary internal testing data to indicate this antibody may not react with this species. Please contact us for more information.</p>

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C. Avoid freeze / thaw cycle.
存储溶液	pH: 7.20 Preservative: 0.01% Sodium azide

	Constituents: 59% PBS, 40% Glycerol, 0.05% BSA
纯度	Protein A purified
克隆	单克隆
克隆编号	E208
同种型	IgG

应用

The Abpromise guarantee **Abpromise™** 承诺保证使用 ab32364 于以下的经测试应用

“应用说明”部分 下显示的仅为推荐的起始稀释度; 实际最佳的稀释度/浓度应由使用者检定。


应用	Ab 评论	说明
WB	★★★★★ (4)	1/1000. Detects a band of approximately 90 kDa (predicted molecular weight: 90 kDa).
IHC-P	★★★★★ (5)	1/50. Perform heat mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol. Unsuitable for mouse.
ELISA		Use at an assay dependent concentration.

应用说明 Is unsuitable for ICC/IF or IP.

靶标

功能	Carries out a dual function: signal transduction and activation of transcription. Binds to the GAS element and activates PRL-induced transcription.
序列相似性	Belongs to the transcription factor STAT family. Contains 1 SH2 domain.
翻译后修饰	Tyrosine phosphorylated in response to IL-2, IL-3, IL-7, IL-15, GM-CSF, growth hormone, prolactin, erythropoietin and thrombopoietin. Tyrosine phosphorylation is required for DNA-binding activity and dimerization. Serine phosphorylation is also required for maximal transcriptional activity.
细胞定位	Cytoplasm. Nucleus. Translocated into the nucleus in response to phosphorylation.

图片



All lanes : Anti-STAT5 (phospho Y694) antibody [E208] (ab32364) at 1/1000 dilution (purified)

Lane 1 : A431 cell lysate, untreated

Lane 2 : A431 cell lysate, treated with Epidermal growth factor

Lysates/proteins at 10 µg per lane.


Secondary

All lanes : Peroxidase conjugated goat anti-rabbit IgG (H+L) at 1/1000 dilution

Predicted band size: 90 kDa


Observed band size: 90 kDa

Blocking and dilution buffer: 5% NFDM/TBST.




Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) analysis of human infiltrating duct carcinoma of breast tissue labelling STAT5 (phospho Y694) with purified ab32364 at 1/50. Heat mediated antigen retrieval was performed using Tris/EDTA buffer pH 9. **ab97051**, a HRP-conjugated goat anti-rabbit IgG (H+L) was used as the secondary antibody (1/500). Negative control using PBS instead of primary antibody. Counterstained with hematoxylin.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-STAT5 (phospho Y694) antibody [E208] (ab32364)



ELISA - Anti-STAT5 (phospho Y694) antibody
[E208] (ab32364)

Serially diluted ab32364 was bound to immobilised phospho peptide (P) - or control peptides ((C), 1 microgram x mL⁻¹). The antibody was detected by HRP-labelled goat anti-rabbit IgG ([ab97080](#); diluted 1: 50,000) and signal was developed with TMB substrate



Western blot - Anti-STAT5 (phospho Y694) antibody
[E208] (ab32364)

All lanes : Anti-STAT5 (phospho Y694) antibody [E208] (ab32364) at 1/1000 dilution (unpurified)


Lane 1 : A431 cell lysate, untreated

Lane 2 : A431 cell lysate, treated with EGF

Lane 3 : A431 cell lysate, treated with phosphatase

Predicted band size: 90 kDa

Observed band size: 90 kDa



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-STAT5 (phospho Y694) antibody [E208] (ab32364)

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) analysis of human breast carcinoma using unpurified ab32364 at a 1/50 dilution.

Why choose a recombinant antibody?



Research with confidence
Consistent and reproducible results



Long-term and scalable supply
Recombinant technology



Success from the first experiment
Confirmed specificity



Ethical standards compliant
Animal-free production

Anti-STAT5 (phospho Y694) antibody [E208]
(ab32364)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors