

Anti-Syndecan-1 antibody [EPR6454] ab128936

重组 RabMAb

★★★★★ **7 Abreviews** **39 References** **13 图像**

概述

产品名称	Anti-Syndecan-1抗体[EPR6454]
描述	兔单克隆抗体[EPR6454] to Syndecan-1
宿主	Rabbit
特异性	Based on negative staining of mouse and rat spleen and stomach tissues in IHC-P we believe this antibody is unsuitable for IHC-P with mouse and rat. We believe the antibody is suitable for Western blot with mouse and rat based on data from brain, heart, kidney, and spleen lysates. Please contact our Scientific Support team for more information.
经测试应用	适用于: Flow Cyt (Intra), ICC/IF, WB, IHC-P
种属反应性	与反应: Mouse, Rat, Human
免疫原	Recombinant fragment. This information is proprietary to Abcam and/or its suppliers.
阳性对照	Human colon and cervical carcinoma tissues; Fetal kidney, HeLa, PC12, U266B1, Raji, Ramos and BxPC-3 cell lysates.
常规说明	<p>This product is a recombinant monoclonal antibody, which offers several advantages including:</p> <ul style="list-style-type: none"> - High batch-to-batch consistency and reproducibility - Improved sensitivity and specificity - Long-term security of supply - Animal-free production <p>For more information see here.</p> <p>Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb[®] patents.</p>

性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C. Stable for 12 months at -20°C.
存储溶液	<p>pH: 7.20</p> <p>Preservative: 0.01% Sodium azide</p> <p>Constituents: 40% Glycerol, 59% PBS, 0.05% BSA</p>
纯度	Protein A purified

克隆	单克隆
克隆编号	EPR6454
同种型	IgG

应用

The Abpromise guarantee

Abpromise™承诺保证使用ab128936于以下的经测试应用


“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
Flow Cyt (Intra)		1/1000. ab172730 - Rabbit monoclonal IgG, is suitable for use as an isotype control with this antibody.
ICC/IF	★★★★★ (1)	Use a concentration of 2 µg/ml.
WB	★★★★★ (2)	1/1000 - 1/10000. Detects a band of approximately 35 kDa (predicted molecular weight: 32 kDa).
IHC-P	★★★★★ (1)	1/8000. Perform heat mediated antigen retrieval before commencing with IHC staining protocol. For unpurified, use 1/500 - 1/1000. Based on negative staining of mouse and rat spleen and stomach tissues in IHC-P we believe this antibody is unsuitable for IHC-P with mouse and rat.

靶标


功能	Cell surface proteoglycan that bears both heparan sulfate and chondroitin sulfate and that links the cytoskeleton to the interstitial matrix.
序列相似性	Belongs to the syndecan proteoglycan family.
细胞定位	Membrane.

图片




Immunohistochemical staining of paraffin embedded human colon with purified ab128936 at a working dilution of 1/8000. The secondary antibody used is **ab97051**, a goat anti-rabbit IgG (H&L) at a dilution of 1/500. The sample is counter-stained with hematoxylin. Antigen retrieval was performed using Tris-EDTA buffer, pH 9.0. PBS was used instead of the primary antibody as the negative control, and is shown in the inset.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Syndecan-1 antibody [EPR6454] (ab128936)



Immunocytochemistry analysis of A431 cell line labeling Syndecan-1 with Ab128936 at 2.5 µg/ml (top left). Cells were fixed with 4% paraformaldehyde, permeabilized with 0.1% tritonX-100. DAPI nuclear stain. **ab150077**, AlexaFluor® 488 Goat anti-Rabbit secondary antibody was used at 2 µg/ml. Confocal image showing membranous staining on A431 cell line.

Immunocytochemistry/ Immunofluorescence - Anti-Syndecan-1 antibody [EPR6454] (ab128936)



All lanes : Anti-Syndecan-1 antibody [EPR6454] (ab128936) at 1/5000 dilution (purified)

Lane 1 : HeLa whole cell lysate

Lane 2 : PC-12 whole cell lysate

Lane 3 : Mouse heart tissue lysate

Lysates/proteins at 20 µg per lane.

Secondary


All lanes : Goat Anti-Rabbit IgG H&L (HRP) ([ab97051](#)) at 1/20000 dilution

Predicted band size: 32 kDa


Observed band size: 100,35 kDa

Blocking buffer: 5% NFDM/TBST

Dilution buffer: 5% NFDM/TBST



Flow cytometric analysis of 4% paraformaldehyde fixed 90% methanol permeabilized HeLa (human cervical adenocarcinoma epithelial cell) labelling -Syndecan-1 with ab128936 at 1/50 dilution (1 µg) (Red) compared with a Rabbit monoclonal IgG ([ab172730](#)) (Black) isotype control and an unlabelled control (cells without incubation with primary antibody and secondary antibody) (Blue). A Goat Anti-Rabbit IgG (Alexa Fluor® 488, [ab150081](#)) at 1/5000 dilution was used as the secondary antibody.



All lanes : Anti-Syndecan-1 antibody [EPR6454] (ab128936) at 1/10000 dilution (purified)

Lane 1 : Ramos whole cell lysate

Lane 2 : Raji whole cell lysate

Lysates/proteins at 10 µg per lane.

Secondary


All lanes : Goat Anti-Rabbit IgG H&L (HRP) ([ab97051](#)) at 1/20000 dilution

Predicted band size: 32 kDa

Observed band size: 100,35 kDa

Blocking buffer: 5% NFDM/TBST

Dilution buffer: 5% NFDM/TBST



Lanes 1-5 : Anti-Syndecan-1 antibody [EPR6454] (ab128936) at 1/1000 dilution (Unpurified)

Lane 6 : Anti-Syndecan-1 antibody [EPR6454] (ab128936) at 1/1000 dilution

Lane 1 : Ramos cell lysate

Lane 2 : Raji cell lysate

Lane 3 : HeLa cell lysate

Lane 4 : BxPC-3 cell lysate

Lane 5 : Fetal kidney lysate

Lane 6 : PC12 cell lysate

Lysates/proteins at 10 µg per lane.


Secondary

All lanes : Standard HRP labelled goat anti-rabbit at 1/2000 dilution

Predicted band size: 32 kDa

Observed band size: 35 kDa


Additional bands at: 65-100 kDa. We are unsure as to the identity of these extra bands.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Syndecan-1 antibody [EPR6454] (ab128936)

Unpurified ab128936, at a 1/500 dilution, staining Syndecan in paraffin-embedded Human cervical carcinoma tissue by immunohistochemistry.


Perform heat mediated antigen retrieval before commencing with IHC staining protocol.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Syndecan-1 antibody [EPR6454] (ab128936)

Unpurified ab128936, at a 1/500 dilution, staining Syndecan in paraffin-embedded Human colon tissue by immunohistochemistry.


Perform heat mediated antigen retrieval before commencing with IHC staining protocol.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Syndecan-1 antibody [EPR6454] (ab128936)

Unpurified ab128936 showing positive staining in Normal human skin tissue.


Perform heat mediated antigen retrieval before commencing with IHC staining protocol.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Syndecan-1 antibody [EPR6454] (ab128936)

Unpurified ab128936 showing positive staining in normal human tonsil tissue.


Perform heat mediated antigen retrieval before commencing with IHC staining protocol.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Syndecan-1 antibody [EPR6454] (ab128936)

Unpurified ab128936 showing positive staining in human Plasmacytoma tissue.

Perform heat mediated antigen retrieval before commencing with IHC staining protocol.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Syndecan-1 antibody [EPR6454] (ab128936)

Unpurified ab128936 showing negative staining in human Skeletal muscle tissue.

Perform heat mediated antigen retrieval before commencing with IHC staining protocol.

Why choose a recombinant antibody?



Research with confidence
Consistent and reproducible results



Long-term and scalable supply
Recombinant technology



Success from the first experiment
Confirmed specificity



Ethical standards compliant
Animal-free production

Anti-Syndecan-1 antibody [EPR6454] (ab128936)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors