


### Anti-TRIM46 antibody ab169044

[2 References](#) [2 图像](#)

#### 概述

产品名称	Anti-TRIM46抗体
描述	小鼠多克隆抗体to TRIM46
宿主	Mouse
经测试应用	适用于: WB, ICC/IF
种属反应性	与反应: Human 预测可用于: Mouse 
免疫原	Recombinant full length protein within Human TRIM46 aa 1-500. The exact immunogen sequence used to generate this antibody is proprietary information. If additional detail on the immunogen is needed to determine the suitability of the antibody for your needs, please <b>contact</b> our Scientific Support team to discuss your requirements. <a href="#">Run BLAST with</a> <a href="#">Run BLAST with</a>
阳性对照	TRIM46 transfected 293T cell lysate; HepG2 cells.
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

#### 性能

形式	Liquid
存放说明	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term.
存储溶液	pH: 7.4 Constituent: 99% PBS
纯度	Protein A purified
克隆	多克隆
同种型	IgG

## 应用

### The Abpromise guarantee

**Abpromise™**承诺保证使用ab169044于以下的经测试应用

“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。


应用	Ab评论	说明
WB		Use a concentration of 1 µg/ml. Predicted molecular weight: 55 kDa.
ICC/IF		Use a concentration of 20 µg/ml.

## 靶标

### 序列相似性

Belongs to the TRIM/RBCC family.  
Contains 1 B box-type zinc finger.  
Contains 1 B30.2/SPRY domain.  
Contains 1 COS domain.  
Contains 1 fibronectin type-III domain.  
Contains 2 RING-type zinc fingers.

## 图片



**All lanes** : Anti-TRIM46 antibody (ab169044) at 1 µg/ml

**Lane 1** : TRIM46 transfected 293T cell lysate

**Lane 2** : non transfected 293T cell lysate


Lysates/proteins at 15 µl per lane.

### Secondary

**All lanes** : Goat anti-mouse HRP conjugated antibody at 1/2500 dilution

Developed using the ECL technique.

**Predicted band size:** 55 kDa



Immunofluorescent analysis of HepG2 cells labeling TRIM46 with ab169044 at 20 µg/ml.

Immunocytochemistry/ Immunofluorescence - Anti-TRIM46 antibody (ab169044)

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### Our Abpromise to you: Quality guaranteed and expert technical support

---

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

### Terms and conditions

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors