


### Anti-UBAP2L antibody ab138309

★★★★★ [1 Abreviews](#) [4 References](#) [2 图像](#)

#### 概述

产品名称	Anti-UBAP2L 抗体
描述	兔多克隆抗体 to UBAP2L
宿主	Rabbit
经测试应用	适用于: WB
种属反应性	与反应: Human 预测可用于: Mouse 
免疫原	Synthetic peptide derived from internal sequence of Human UBAP2L.
阳性对照	Jurkat whole cell lysate ( <a href="#">ab7899</a> )
常规说明	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

#### 性能

形式	Liquid
存放说明	Shipped at 4°C. Store at -20°C.
存储溶液	pH: 7.40 Preservative: 0.02% Sodium azide Constituents: 49% PBS, 50% Glycerol (glycerin, glycerine), 0.88% Sodium chloride
纯度	PBS without Mg <sup>2+</sup> and Ca <sup>2+</sup> .
克隆	Immunogen affinity purified
同种型	多克隆 IgG

#### 应用

## The Abpromise guarantee

**Abpromise™**承诺保证使用ab138309于以下的经测试应用

“应用说明”部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
WB	★★★★★ (1)	1/500 - 1/1000. Predicted molecular weight: 115 kDa.

## 靶标

### 组织特异性

Ubiquitous.


### 序列相似性

Contains 1 UBA domain.

### 翻译后修饰

Phosphorylated upon DNA damage, probably by ATM or ATR.  
Acetylated.

## 图片



Western blot - Anti-UBAP2L antibody (ab138309)

This image is courtesy of an anonymous abreview.

**All lanes :** Anti-UBAP2L antibody (ab138309) at 1/1000 dilution

**Lane 1 :** HeLa whole cell lysate at 18 µg

**Lane 2 :** HeLa whole cell lysate at 36 µg

**Lane 3 :** RPE-1 whole cell lysate at 18 µg

**Lane 4 :** RPE-1 whole cell lysate at 36 µg

### Secondary

**All lanes :** LICOR, anti rabbit 800CW conjugated to IRDye®  
800CW at 1/20000 dilution

Performed under reducing conditions.


**Predicted band size:** 115 kDa

**Observed band size:** 117, 120 kDa

**Additional bands at:** 17 kDa (possible non-specific binding)

**Exposure time:** 7 minutes

**Blocking:** 10% Milk



Anti-UBAP2L antibody (ab138309) at 1/500 dilution + Jurkat cell lysate at 30  $\mu$ g

**Predicted band size:** 115 kDa

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### Our Abpromise to you: Quality guaranteed and expert technical support

---

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
  
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

### Terms and conditions

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors