abcam

Product datasheet

Anti-VAMP4 antibody ab108051

1 References 3 图像

概述

产**品名称** Anti-VAMP4抗体

描述 兔多克隆抗体to VAMP4

宿主 Rabbit

适用于: WB, IHC-P

种属反应性 与反应: Mouse, Human

免疫原 KLH conjugated synthetic peptide between internal sequence amino acids 23 - 53 of Human

VAMP4 (NP 001172056.1, NP 003753.2).

阳性对照 WB: K562 cell line lysates; Mouse liver tissue lysates IHC-P: Human hepatocarcinoma

常规说明

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or

contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

性能

形式 Liquic

存放说明 Shipped at 4°C. Store at 4°C (up to 6 months). Store at -20°C long term.

存储溶液 Preservative: 0.09% Sodium azide

Constituent: PBS

纯**度** Immunogen affinity purified

纯**化**说明 ab108051 is purified through a protein A column, followed by peptide affinity purification.

克隆 多克隆

同种型 IgG

应用

Abpromise™承诺保证使用ab108051于以下的经测试应用

The Abpromise guarantee

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说 明
WB		1/100 - 1/500. Predicted molecular weight: 16 kDa.
IHC-P		1/50 - 1/100. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.

靶标

功能 Involved in the pathway that functions to remove an inhibitor (probably synaptotagmin-4) of

calcium-triggered exocytosis during the maturation of secretory granules. May be a marker for this

sorting pathway that is critical for remodeling the secretory response of granule.

序列相似性 Belongs to the synaptobrevin family.


Contains 1 v-SNARE coiled-coil homology domain.

细胞定位 Golgi apparatus > trans-Golgi network membrane. Associated with trans Golgi network (TGN)

and newly formed immature secretory granules (ISG). Not found on the mature secretory

organelles.


图片



Western blot - Anti-VAMP4 antibody (ab108051)

Anti-VAMP4 antibody (ab108051) at 1/100 dilution + K562 cell line lysates at 35 µg


Predicted band size: 16 kDa



Western blot - Anti-VAMP4 antibody (ab108051)

Anti-VAMP4 antibody (ab108051) at 1/100 dilution + Mouse liver tissue lysates at 35 μg

Predicted band size: 16 kDa



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-VAMP4 antibody (ab108051)

ab108051, at a 1/50 dilution, staining VAMP4 in formalin fixed, paraffin embedded Human hepatocarcinoma by Immunohistochemistry, followed by peroxidase conjugation of the secondary antibody and DAB staining.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- · Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors