

### Anti-ZIP Kinase antibody [EPR1636Y] ab51602

敲除验证
重组
RabMAb

[1 Abreviews](#)
[3 References](#)
[4 图像](#)


#### 概述

产品名称	Anti-ZIP Kinase抗体[EPR1636Y]
描述	兔单克隆抗体[EPR1636Y] to ZIP Kinase
宿主	Rabbit
经测试应用	<b>适用于:</b> WB <b>不适用于:</b> ICC/IF or IP
种属反应性	<b>与反应:</b> Human
免疫原	Synthetic peptide corresponding to Human ZIP Kinase aa 400 to the C-terminus (C terminal). Database link: <a href="#">O43293</a>
阳性对照	WB: A431, HeLa and HEK-293T cell lysate.
常规说明	This product is a recombinant monoclonal antibody, which offers several advantages including: <ul style="list-style-type: none"> <li>- High batch-to-batch consistency and reproducibility</li> <li>- Improved sensitivity and specificity</li> <li>- Long-term security of supply</li> <li>- Animal-free production</li> </ul> For more information <a href="#">see here</a> .  Our RabMAb <sup>®</sup> technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to <a href="#">RabMAb<sup>®</sup> patents</a> .

#### 性能

形式	Liquid
存放说明	Shipped at 4°C. Store at -20°C. Stable for 12 months at -20°C.
存储溶液	pH: 7.20 Preservative: 0.05% Sodium azide Constituents: 0.1% BSA, 40% Glycerol (glycerin, glycerine), 9.85% Tris glycine, 50% Tissue culture supernatant
纯度	Protein A purified
克隆	单克隆
克隆编号	EPR1636Y

同种型	IgG	
应用		
<b>The Abpromise guarantee</b> <b>Abpromise™</b> 承诺保证使用ab51602于以下的经测试应用		
“应用说明”部分 下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。		
应用	Ab评论	说明
WB		1/1000. Detects a band of approximately 53 kDa (predicted molecular weight: 53 kDa).
应用说明	Is unsuitable for ICC/IF or IP.	
靶标		
功能	Serine/threonine kinase which acts as a positive regulator of apoptosis. Phosphorylates histone H3 on 'Thr-11' at centromeres during mitosis. Regulates myosin light chain phosphatase through phosphorylation of MYPT1 thereby regulating the assembly of the actin cytoskeleton, cell migration, invasiveness of tumor cells, smooth muscle contraction and neurite outgrowth. Involved in the formation of promyelocytic leukemia protein nuclear body (PML-NB), one of many subnuclear domains in the eukaryotic cell nucleus, and which is involved in oncogenesis and viral infection.	
序列相似性	Belongs to the protein kinase superfamily. CAMK Ser/Thr protein kinase family. DAP kinase subfamily. Contains 1 protein kinase domain.	
翻译后修饰	Ubiquitinated. Ubiquitination mediated by the UBE2D3 E3 ligase does not lead to proteasomal degradation, but influences promyelocytic leukemia protein nuclear bodies (PML-NBs) formation in the nucleus. Autophosphorylated. Phosphorylated by ROCK1.	
细胞定位	Nucleus. Cytoplasm. Nucleus > PML body. Relocates to the cytoplasm on binding PAWR where the complex appears to interact with actin filaments (By similarity). Localizes to promyelocytic leukemia protein nuclear bodies (PML-NBs). Associates to centromeres from prophase to anaphase.	
图片		



Western blot - Anti-ZIP Kinase antibody  
[EPR1636Y] (ab51602)

**Lane 1:** Wild-type HAP1 whole cell lysate (20 µg)


**Lane 2:** ZIP Kinase knockout HAP1 whole cell lysate (20 µg)

**Lane 3:** HeLa whole cell lysate (20 µg)

**Lane 4:** A431 whole cell lysate (20 µg)

**Lanes 1 - 4:** Merged signal (red and green). Green - ab51602 observed at 53 kDa. Red - loading control, [ab8245](#), observed at 37 kDa.

ab51602 was shown to specifically react with ZIP Kinase in wild-type HAP1 cells. No band was observed when ZIP Kinase knockout samples were examined. Wild-type and ZIP Kinase knockout samples were subjected to SDS-PAGE. Ab51602 and [ab8245](#) (Mouse anti GAPDH loading control) were incubated overnight at 4°C at 1/1000 dilution and 1/10,000 dilution respectively. Blots were developed with 800CW Goat anti Rabbit and 680CW Goat anti Mouse secondary antibodies at 1/10,000 dilution for 1 hour at room temperature before imaging.



Western blot - Anti-ZIP Kinase antibody  
[EPR1636Y] (ab51602)

**All lanes :** Anti-ZIP Kinase antibody [EPR1636Y] (ab51602) at 1/1000 dilution

**Lane 1 :** Wild-type HEK-293T cell lysate

**Lane 2 :** DAPK3 CRISPR/Cas9 edited HEK-293T cell lysate

Lysates/proteins at 20 µg per lane.


Performed under reducing conditions.

**Predicted band size:** 53 kDa

**Observed band size:** 53 kDa

**Lanes 1- 2:** Merged signal (red and green). Green - ab51602 observed at 53 kDa. Red - Anti-GAPDH antibody [6C5] - Loading Control ([ab8245](#)) observed at 37 kDa.

ab51602 was shown to react with ZIP Kinase in wild-type HEK-293T cells in western blot. The band observed in CRISPR/Cas9 edited cell line [ab266755](#) (CRISPR/Cas9 edited cell lysate [ab257407](#)) lane below 53kDa may represent truncated forms and cleaved fragments. This has not been investigated further. Wild-type HEK-293T and DAPK3 CRISPR/Cas9 edited HEK-293T cell lysates were subjected to SDS-PAGE. Membrane was blocked for 1 hour at room temperature in 0.1% TBST with 3% non-fat dried milk. ab51602 and Anti-GAPDH antibody [6C5] - Loading Control ([ab8245](#)) were incubated overnight at 4°C at a 1 in 1000 dilution and a 1 in 20000 dilution respectively. Blots were developed with Goat anti-Rabbit IgG H&L (IRDye®800CW) preadsorbed ([ab216773](#)) and Goat anti-Mouse IgG H&L (IRDye®680RD) preadsorbed ([ab216776](#)) secondary antibodies at 1 in 20000 dilution for 1 hour at room temperature before imaging.



Western blot - Anti-ZIP Kinase antibody  
[EPR1636Y] (ab51602)

Anti-ZIP Kinase antibody [EPR1636Y] (ab51602) at 1/1000 dilution  
+ HeLa cell lysate at 10 µg

#### Secondary

Goat anti-rabbit HRP at 1/2000 dilution

**Predicted band size:** 53 kDa

**Observed band size:** 53 kDa

Why choose a  
recombinant antibody?



**Research with  
confidence**  
Consistent and  
reproducible results



**Long-term and  
scalable supply**  
Recombinant  
technology



**Success from the  
first experiment**  
Confirmed  
specificity



**Ethical standards  
compliant**  
Animal-free  
production

Anti-ZIP Kinase antibody [EPR1636Y] (ab51602)

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### **Our Abpromise to you: Quality guaranteed and expert technical support**

---

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
  
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

### **Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors