

Recombinant Human MMP9 protein (Proenzyme) ab82955

2 References 3 图像

描述	
产品名称	重组人MMP9蛋白(Proenzyme)
纯度	> 95 % SDS-PAGE.
表达系统	Escherichia coli
Accession	<u>P14780</u>
蛋白长度	Protein fragment
无动物成分	No
性质	Recombinant
种属	Human
氨基酸	20 to 707
标签	His tag N-Terminus
额外的序列信息	Corresponding to the pro form of the protein minus the signal peptide with a N-terminal 6X his tag.


技术指标	
Our <u>Abpromise guarantee</u> covers the use of ab82955 in the following tested applications.	
The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.	
应用	ELISA SDS-PAGE Western blot
形式	Liquid

制备和贮存	
稳定性和存储	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles. pH: 7.20 Constituents: PBS, 50% Glycerol


常规信息	
------	--

功能	May play an essential role in local proteolysis of the extracellular matrix and in leukocyte migration. Could play a role in bone osteoclastic resorption. Cleaves KiSS1 at a Gly-Leu bond. Cleaves type IV and type V collagen into large C-terminal three quarter fragments and shorter N-terminal one quarter fragments. Degrades fibronectin but not laminin or Pz-peptide.
组织特异性	Produced by normal alveolar macrophages and granulocytes.
疾病相关	Intervertebral disc disease Metaphyseal anadysplasia 2
序列相似性	Belongs to the peptidase M10A family. Contains 3 fibronectin type-II domains. Contains 4 hemopexin repeats.
结构域	The conserved cysteine present in the cysteine-switch motif binds the catalytic zinc ion, thus inhibiting the enzyme. The dissociation of the cysteine from the zinc ion upon the activation-peptide release activates the enzyme.
翻译后修饰	Processing of the precursor yields different active forms of 64, 67 and 82 kDa. Sequentially processing by MMP3 yields the 82 kDa matrix metalloproteinase-9. N- and O-glycosylated.
细胞定位	Secreted, extracellular space, extracellular matrix.

图片




Standard curve for MMP9 (Analyte: ab82955); dilution range 1pg/ml to 1µg/ml using Capture Antibody Mouse monoclonal [SB15c] to MMP9 ([ab51203](#)) at 5µg/ml and Detector Antibody Rabbit polyclonal to MMP9 - Hinge region ([ab38902](#)) at 0.5µg/ml.



ab82955 on SDS-PAGE.

SDS-PAGE - Recombinant Human MMP9 protein
(Proenzyme) (ab82955)



Western blot - Recombinant Human MMP9 protein
(Proenzyme) (ab82955)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.cn/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors