abcam

Product datasheet

Recombinant Human nNOS (neuronal) protein ab159005


<u>1 References</u> 1 图像

描述		
产品名称	重组人nNOS (neuronal)蛋白	
表达系统	Wheat germ	
蛋白长度	Protein fragment	
无动 物成分	No	
性质	Recombinant	
种属	Human	
序列		FPGNHEDLVNALIERLEDAPPVNQMVKVELLEERNTALGVIS NWTDELRL PPCTIFQAFKYYLDITTPPTPLQLQQFASLATSEKEKQRLLV LSKGLQEY EEWKWGKNPT
氨基酸	1041 to 1150	
标签	GST tag N-Terminus	
技术指标 Our <u>Abpromise guarantee</u> covers the use of ab159005 in the following tested applications.		
The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.		
应用	Western blot	
	ELISA	
形式	Liquid	
补充说明		
制备和贮存		
稳定性和存储	Shipped on dry ice. Upon delivery a	aliquot and store at -80°C. Avoid freeze / thaw cycles.

pH: 8.00 Constituents: 0.31% Glutathione, 0.79% Tris HCI 吊戏旧尽

功能	Produces nitric oxide (NO) which is a messenger molecule with diverse functions throughout the body. In the brain and peripheral nervous system, NO displays many properties of a neurotransmitter. Probably has nitrosylase activity and mediates cysteine S-nitrosylation of cytoplasmic target proteins such SRR.
组织 特异性	Isoform 1 is ubiquitously expressed: detected in skeletal muscle and brain, also in testis, lung and kidney, and at low levels in heart, adrenal gland and retina. Not detected in the platelets. Isoform 3 is expressed only in testis. Isoform 4 is detected in testis, skeletal muscle, lung, and kidney, at low levels in the brain, but not in the heart and adrenal gland.
序列相似性	Belongs to the NOS family. Contains 1 FAD-binding FR-type domain. Contains 1 flavodoxin-like domain. Contains 1 PDZ (DHR) domain.
结 构域	The PDZ domain in the N-terminal part of the neuronal isoform participates in protein-protein interaction, and is responsible for targeting nNos to synaptic membranes in muscles. Mediates interaction with VAC14.
翻 译 后修 饰	Ubiquitinated; mediated by STUB1/CHIP in the presence of Hsp70 and Hsp40 (in vitro).
细 胞定位	Cell membrane > sarcolemma. Cell projection > dendritic spine. In skeletal muscle, it is localized beneath the sarcolemma of fast-twitch muscle fiber by associating with the dystrophin glycoprotein complex. In neurons, enriched in dendritic spines.

图片



ab159005 on a 12.5% SDS-PAGE stained with Coomassie Blue.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you

• We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <u>https://www.abcam.cn/abpromise</u> or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors