abcam

Product datasheet

Recombinant Human TGF beta 1 protein ab82992

描述

产品名称 重组人TGF beta 1蛋白

纯**度** > 95 % Ion Exchange Chromatography.

表达系统 Escherichia coli

蛋白长度 Full length protein

无动物成分 No

性质 Recombinant

种属 Human **氨基酸** 279 to 390

技术指标

Our **Abpromise guarantee** covers the use of **ab82992** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

应用 Western blot

形式 Liquid

制备和贮存

稳定性和存储 Shipped at 4°C. Store at -20°C. Stable for 12 months at -20°C.

08.6 :Hd

Constituents: 0.1% Bromophenol blue, 1% Sodium lauryl sulfate, 0.77% DTT, 0.395% Tris HCl,

2.5% Glycerol

1x Laemmli Buffer (2.5% Glycerol, 1% SDS, 0.1% Bromophenol blue, 50mM DTT, 25mM Tris

HCI, pH 6.8)

常规信息

功能 Multifunctional protein that controls proliferation, differentiation and other functions in many cell

types. Many cells synthesize TGFB1 and have specific receptors for it. It positively and negatively regulates many other growth factors. It plays an important role in bone remodeling as it is a potent

1

stimulator of osteoblastic bone formation, causing chemotaxis, proliferation and differentiation in

committed osteoblasts.

组织特异性 Highly expressed in bone. Abundantly expressed in articular cartilage and chondrocytes and is

increased in osteoarthritis (OA). Co-localizes with ASPN in chondrocytes within OA lesions of

articular cartilage.

疾病相关 Defects in TGFB1 are the cause of Camurati-Engelmann disease (CE) [MIM:131300]; also

known as progressive diaphyseal dysplasia 1 (DPD1). CE is an autosomal dominant disorder characterized by hyperostosis and sclerosis of the diaphyses of long bones. The disease typically presents in early childhood with pain, muscular weakness and waddling gait, and in some cases other features such as exophthalmos, facial paralysis, hearing difficulties and loss of vision.

序列相似性 Belongs to the TGF-beta family.

翻译后修饰 Glycosylated.

The precursor is cleaved into mature TGF-beta-1 and LAP, which remains non-covalently linked to

mature TGF-beta-1 rendering it inactive.

细胞定位 Secreted > extracellular space > extracellular matrix.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- · We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors