# abcam

### Product datasheet

## Goat Anti-Mouse IgG H&L (DyLight® 594) preadsorbed ab96881

#### 23 References 2 图像

概述

产品名称 山羊抗小鼠IgG H&L (DyLight® 594)预吸附二抗

**宿主** Goat **靶标种属** Mouse

特异性 By immunoelectrophoresis and ELISA this antibody reacts specifically with Mouse IgG and with

light chains common to other Mouse immunoglobulins. No antibody was detected against non immunoglobulin serum proteins. Reduced cross-reactivity to bovine, chicken, goat, horse, human,

pig, rabbit and rat lgG was detected.

经测试应用 适用于: ICC/IF, IHC-P, Flow Cyt

最小交叉反应

Chicken, Cow, Goat, Horse, Human, Pig, Rabbit, Rat more details

免疫原 Other Immunogen Type corresponding to Mouse IgG.

**偶联物** DyLight® 594. Ex: 593nm, Em: 618nm

性能

形式 Liquid

**存放说明** Shipped at 4°C. Store at +4°C.

**存储溶液** pH: 6.8

Preservative: 0.09% Sodium azide Constituents: 0.2% BSA, PBS

纯**度** Immunogen affinity purified

纯**化说明** Antiserum was cross adsorbed using bovine, chicken, horse, human, pig, rabbit and rat

immunosorbents to remove cross reactive antibodies. This antibody was isolated by affinity chromatography using antigen coupled to agarose beads and conjugated to DyLight® 594.

 克隆
 多克隆

 同种型
 IgG

应用

1


#### The Abpromise guarantee

#### Abpromise™承诺保证使用ab96881于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。


应用	Ab评论	说明
ICC/IF		1/50 - 1/500.
IHC-P		1/50 - 1/500.
Flow Cyt		1/50 - 1/200.

#### 图片



Emission spectra of DyLight® fluorochromes available in our catalog.

Line colors represent the approximate visible colors of the wavelength maxima.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Goat Anti-Mouse IgG H&L (DyLight® 594) preadsorbed (ab96881)

ab96881 was used at dilution 1/100 for IHC analysis of FFPE human kidney. Primary Antibody: mouse anti-p53 (clone DO-1) used at a dilution of 1/100. Secondary Antibody: Red-fluorescent goat anti-mouse lgG-heavy and light chain cross-adsorbed Antibody DyLight® 594 Conjugated ab96881 (2 different lots ) used at a dilution of 1/100 (5 $\mu$ g/mL). Counterstain: DAPI (blue)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.cn/abpromise">https://www.abcam.cn/abpromise</a> or contact our technical team.

#### Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors