abcam

Product datasheet

Goat Anti-Rat IgG H&L (Alexa Fluor® 568) ab175476

20 References 3 图像

概述

产品名称 山羊抗大鼠IgG H&L (Alexa Fluor® 568)

宿主 Goat **靶标种属** Rat

经测试应用 适用于: IHC-Fr, IHC-P, ICC/IF, Flow Cyt, ELISA

免疫原 The details of the immunogen for this antibody are not available.

偶联物 Alexa Fluor® 568. Ex: 578nm, Em: 603nm

性能

形式 Liquid

存放说明 Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C.

Avoid freeze / thaw cycle. Stable for 12 months at -20°C. Store In the Dark.

存储溶液 Preservative: 0.02% Sodium azide

Constituents: 23% Glycerol (glycerin, glycerine), PBS, 1% BSA

纯**度** Immunogen affinity purified

纯**化**说明 This antibody was isolated by affinity chromatography using antigen coupled to agarose beads.

常规说明 Alexa Fluor[®] is a registered trademark of Molecular Probes, Inc, a Thermo Fisher Scientific

Company. The Alexa Fluor[®] dye included in this product is provided under an intellectual property license from Life Technologies Corporation. As this product contains the Alexa Fluor[®] dye, the purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). As this product contains the Alexa Fluor[®] dye the sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: in manufacturing; (ii) to provide a service, information, or data in return for payment (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are sold for use in research. For information on purchasing a license to this product for purposes other than research, contact

Life Technologies Corporation, 5781 Van Allen Way, Carlsbad, CA 92008 USA or

1

outlicensing@thermofisher.com.

应用

The Abpromise guarantee Abpromise™承诺保证使用ab175476于以下的经测试应用

"应用说明"部分下显示的仅为推荐的起始稀释度;实际最佳的稀释度/浓度应由使用者检定。

应用	Ab评论	说明
IHC-Fr		Use at an assay dependent concentration.
IHC-P		Use at an assay dependent concentration.
ICC/IF		1/200 - 1/1000.
Flow Cyt		1/2000.
ELISA		Use at an assay dependent concentration.


图片




Immunocytochemistry/ Immunofluorescence - Goat Anti-Rat IgG H&L (Alexa Fluor® 568) (ab175476)


ICC/IF image of <u>ab6160</u> stained HeLa cells. The cells were 100% methanol fixed (5 min) and then incubated in 1%BSA / 10% normal goat serum / 0.3M glycine in 0.1% PBS-Tween for 1h to permeabilise the cells and block non-specific protein-protein interactions. The cells were then incubated with the antibody (<u>ab6160</u>, 1 μ g/ml) overnight at +4°C. The secondary antibody (yellow) was ab175476 Alexa Fluor® 568 Goat anti-Rat IgG (H&L) used at 2 μ g/ml for 1h. DAPI was used to stain the cell nuclei (blue) at a concentration of 1.43 μ M.

Alexa Fluor® 568 is pseudocolored in yellow.



Immunocytochemistry/ Immunofluorescence - Goat Anti-Rat IgG H&L (Alexa Fluor® 568) (ab175476)





Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

• Replacement or refund for products not performing as stated on the datasheet

- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.cn/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors